## **IN THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

- 1.-12. (Cancelled).
- 13. (Previously presented) A method of providing security in a computer system having a client, an application server, an application component, a resource adapter and a principal mapping module, and a subject instance having the method comprising the steps of:

invoking a connection request method by the application component on the resource adapter without passing in any security arguments;

the resource adapter passes the connection request to the application server via a connection factory;

the application server is configured to use the principal mapping module such that the principal mapping module takes the subject instance with a caller principal and returns the subject instance with a valid resource principal and password credential instance to the application server; and

establishing a managed connection between the application server and an enterprise information system using the valid resource principal and password credential instance generated by the principle mapping module.

- 14. (Cancelled)
- 15. (New) The method of claim 13, wherein said security includes a security context that contains support for Java authentication and authorization service based pluggable authentication.

- 16. (New) The method of claim 13, further comprising a generic credential interface.
- 17. (New) The method of claim 13, further comprising a security principal interface.
- 18. (New) The method of claim 13, wherein the managed connection includes a security contract data structure including:
  - a subject class;
  - a generic credential interface;
  - a password credential interface; and
  - a java security principal interface.
- 19. (New) The method of claim 13, wherein the security is propagated from said application server to the resource adapter.